



WASTE HAULER LICENSE

Chock Block Policy
All haulers loading, unloading or unattended, must have the parking brake set AND the rear wheels chocked.

Waste Hauler Company Name: _____

Mailing Address: _____

Facility Premise Address: _____

Authorized Representative: _____

Email: _____ Phone: _____

Authorization to discharge properly permitted and manifested hauled waste to Upper Blackstone Clean Water (Upper Blackstone) is hereby granted in accordance with the following limitations, conditions, and requirements:

I. DISCHARGE REQUIREMENTS

Weigh-in and Designated Disposal Points

The waste hauler must weigh-in on Upper Blackstone’s scale prior to discharge. Septage shall be discharged at the septage receiving facility located at the headworks of the treatment plant. Sludge shall be discharged at the sludge receiving facility located at the sludge holding tanks. Discharge hours are Monday through Friday from 7 AM to 5 PM.

Industrial/Commercial Waste

Any waste which may be identified as industrial or commercial must be sampled prior to pumping and discharging. The results of the sampling must be reviewed and approved by Upper Blackstone for safe disposal to the treatment plant. The waste must be in compliance with all applicable local, state, and federal regulations. Upper Blackstone’s authorization must be granted to the industry, person, or facility generating the waste prior to having the waste pumped and hauled to the treatment plant. The waste hauler must have a copy of the written Upper Blackstone approval/permit from the industry, person, or facility generating the waste.

Waste transported to Upper Blackstone is to be from a single permitted source. Neither the permittee nor the waste hauler may add any other wastes to the load from a single permitted source (i.e., no mixed loads). If loads are mixed, the waste hauler will be subject to the penalties discussed in Article III herein, and the hauler will be charged for the entire load on the basis of the highest priced material in the load.

Note: No dental wastewater is allowed without a Dental Industrial User Permit.

Prohibitive Discharge Standards

The permittee is prohibited from sending, and the waste hauler is prohibited from discharging liquid wastes listed in the general and specific prohibitions in Article III Sections 1 and 2 of Upper Blackstone’s *Sewer and Pretreatment Regulations* and discharging industrial/commercial wastes which exceed the following limitations:

<u>Parameter</u>	<u>Limit</u>	
Aluminum	168 mg/L	
Arsenic	3.7 mg/L	
Beryllium	1.2 mg/L	
Cadmium	0.16 lbs. /day ^{1,2}	
Chromium	1.3 mg/L	
Copper	1.09 mg/L	
Lead	2.0 mg/L	
Mercury	0.03 mg/L	
Nickel	8.6 mg/L	
Silver	0.5 mg/L	
Total Nitrogen	325 mg/L	
Total Phosphorus	715 lbs. /day ^{1,2}	
Zinc	3.7 mg/L	
Cyanide	2.0 mg/L	
Fats, oil, and grease	225 mg/L	No grease loads allowed
pH minimum	5.0	
pH maximum	12.0	

¹ lbs./day = Parameter Concentration (mg/L) X Flow (MGD) X 8.34 (conversion factor).

² Total available load for all Industrial Users. The sum of all allocations must not exceed the total available loading for Industrial Users.

II. RESPONSIBILITIES

1. The waste hauler must ensure that discharged material has been permitted by Upper Blackstone for disposal at the treatment plant. The waste hauler must ensure that the permit is valid and not expired.
 - a. Permits for disposal of domestic septage are obtained at Upper Blackstone.
 - b. All other wastes must be permitted by Upper Blackstone.
2. The waste hauler is responsible for protecting the wastewater treatment plant from any contributing discharges which would cause pass-through, inhibit, interfere, or otherwise be incompatible with the operation or maintenance of the treatment plant.
3. The waste hauler is responsible for keeping the discharge point clean from waste spills.

Liability Insurance

The licensee must carry liability insurance. The licensee must submit a copy of a certificate of Liability Insurance form to Upper Blackstone as evidence of adequate liability coverage. The licensee must have the following coverage:

<u>Coverage</u>	<u>Limit</u>
Comprehensive General Liability	
General Aggregate	\$2,000,000
Products-Completed Operation	\$2,000,000
Personal & Adv. Injury	\$1,000,000
Each Occurrence	\$1,000,000
Automotive/Combines Single Limit	\$1,000,000
Employer Liability	\$500,000
Workers Compensation (or Disability Insurance)	Statutory Requirements

Nontransferable

This license is not transferable. In the event of a change in control or ownership, the licensee shall notify Upper Blackstone. The new owner shall be made aware of this license and its limitations to afford the new owner an opportunity to apply for a new license without interruption of business.

III. VIOLATIONS

License Revocation

If any person fails to comply with any provisions of this license, or discharges waste into the treatment plant in violation of the terms and conditions of this license, or Upper Blackstone’s *Sewer and Pretreatment Regulations*, or any other local, state, or federal regulation, Upper Blackstone may revoke the license.

Civil Penalty

Any person who violates any provision of this license or Upper Blackstone’s *Sewer and Pretreatment Regulations* shall be liable for a civil or criminal penalty up to \$10,000 for each violation in accordance with the provisions of Massachusetts General Laws, Chapter 752, Section 7, as most recently amended. Each day in which any such violation continues shall be deemed a separate offense. Any person violating any provisions of this license or Upper Blackstone’s *Sewer and Pretreatment Regulations* shall become liable to Upper Blackstone for any expense, loss, damage suffered, attorney fees, court costs, and any other expense of investigation and enforcement action.

Should the licensee discharge or cause to be discharged any substance which causes or contributes to a violation of any of Upper Blackstone’s discharge or operating permits, whether or not such discharge was intentional, the licensee agrees that it will be liable for twice the amount of any penalty subsequently levied upon Upper Blackstone by any regulatory agency or court.

Penalty for False Statement

Any person who knowingly makes or authorizes any false statement, representation, or certification in any license or permit application, laboratory report, or other document required by this license, or who falsifies, tampers with, or knowingly renders inaccurate any monitoring device, testing method or samples required under this license shall be subject to a civil penalty up to \$10,000.

Signed by:

Licensee: _____ Date: _____

(License expires annually December 31st)

For Upper Blackstone use only:

Submittal of Certificate of Liability Insurance: _____ Submittal of Millbury Registration: _____ License Number: _____ Upper Blackstone Authorized Representative: _____ Date: _____
